	· · · · · · · · · · · · · · · · · · ·	<del></del>		·
L Number	Hits		DB	Time stamp
6	1988	711/103.ccls. or 711/147.ccls. or 711/154.ccls.	USPAT; US-PGPUB;	2002/11/15 10:24
			EPO; JPO; DERWENT; IBM TDB	
7	714	710/60-61.ccls. or 710/106.ccls. or 710/11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 10:31
8	1219	709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls.	IBM_TDB USPAT; US-PGPUB;	2002/11/15 10:36
			EPO; JPO; DERWENT; IBM TDB	
9	204	709/400.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15
10	2890	713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 10:42
11	219	717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/11/15
12	1103	701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15
14	218011	(rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15
15	242091	(speed near5 (chang\$3 or set or setting)) or baud	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 13:54
16	12436	(processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 11:01
17	23058	(rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 14:18
18	966	((control or transfer) near2 program) ((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/15
		<pre>(nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )</pre>	_	

T 19	7941	(711/103.ccls. or 711/147.ccls. or	LICDAM.	1 2002 /11 /15
19	/941	711/154.ccls. ) or (710/60-61.ccls. or	USPAT; US-PGPUB;	2002/11/15 11:04
		710/106.ccls. or 710/11.ccls.) or	EPO; JPO;	11.04
		(709/233.ccls. or 709/248.ccls. or	DERWENT;	1
		709/213.ccls. or 709/216.ccls.) or	IBM TDB	l <sub>i</sub>
		709/400.ccls. or (713/400.ccls. or	1511_100	
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or		
		(717/169.ccls. or 717/173.ccls. or		
	1	711/175.ccls. or 717/178.ccls) or		]
	Ì	(701/33.ccls. or 701/35.ccls.or		1
		701/24.ccls. or 701/26.ccls.)		<u>[</u>
20	40	(((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	11:04
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM TDB	
		(nonvolatile or eeprom or prom or eprom	_	
		or flash\$3 or rom) same ((control or		
	1	transfer) near2 program) )) and	•	
	1	((711/103.ccls. or 711/147.ccls. or		
		711/154.ccls. ) or (710/60-61.ccls. or		
	1	710/106.ccls. or 710/11.ccls.) or		
		(709/233.ccls. or 709/248.ccls. or		
		709/213.ccls. or 709/216.ccls.) or		
		709/400.ccls. or (713/400.ccls. or		
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or		
	İ	(717/169.ccls. or 717/173.ccls. or		
		711/175.ccls. or 717/178.ccls) or		
		(701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.))		
22	27	((((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	14:00
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
		or program\$4 or writ\$3 or stor\$3) same	IBM_TDB	
		(nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or		
		transfer) near2 program) )) and		l i
		((711/103.ccls. or 711/147.ccls. or		
		711/154.ccls.) or (710/60-61.ccls. or		
		710/106.ccls. or 710/11.ccls.) or		
		(709/233.ccls. or 709/248.ccls. or		
		709/213.ccls. or 709/216.ccls.) or		
		709/400.ccls. or (713/400.ccls. or	i	
		713/500.ccls. or 713/600.ccls. or		
		713/1-2.ccls. or 713/100.ccls.) or	1	
1	1	(717/169.ccls. or 717/173.ccls. or	1	
		711/175.ccls. or 717/178.ccls) or	1	
		(701/33.ccls. or 701/35.ccls.or		
		701/24.ccls. or 701/26.ccls.))) and		
		(@ad<19960920 or @rlad<19960920)		
23	7279	((speed near5 (chang\$3 or set or	USPAT;	2002/11/15
		setting)) or baud) same (instruct\$3 or	US-PGPUB;	14:21
		request\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	220	(((processor or microprocessor or cpu)	USPAT;	2002/11/15
		same ((speed near5 (chang\$3 or set or	US-PGPUB;	13:54
		setting)) or baud)) and ((rewrit\$3 or	EPO; JPO;	
		re-writ\$3 or reprogram\$ or re-program\$4	DERWENT;	
1		or program\$4 or writ\$3 or stor\$3) same	IBM_TDB	
		<pre>(nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or</pre>		
		transfer) near2 program) )) and (((speed		
		near5 (chang\$3 or set or setting)) or		
		baud) same (instruct\$3 or request\$3)).		
L	l	or reduced triberaced or reduced.	1	1 1

6696	((speed near5 (chang\$3 or set or setting)) or baud) same (host or external)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 13:59
75	<pre>((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 13:59
367	<pre>(send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/11/15 14:00
56	<pre>(((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and (@ad&lt;19960920 or @rlad&lt;19960920)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:00
55	((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or external))) and (@ad<19960920 or external))) and (@ad<19960920 or external))) and (((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and ((711/103.ccls. or 711/147.ccls. or 710/106.ccls. or 709/248.ccls. or 709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/248.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/1-2.ccls. or 713/1-2.ccls. or 713/173.ccls. or 711/175.ccls. or 711/173.ccls. or 711/175.ccls. or 711/175.ccls. or 711/173.ccls. or 711/175.ccls. or 701/24.ccls.)) and (/articologo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:01
	75 367 56	setting)) or baud) same (host or external)  (((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting))) or baud) same (host or external))  (((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))  (((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$ or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and (@ad<19960920 or erlad<19960920)  ((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) same (nonvolatile or eeprom or prom or eprom or flash\$3 or reprogram\$ or re-program\$4 or re-writ\$3 or reprogram\$5 or setting) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) and ((rspeed near5 (chang\$3 or set or setting)) or baud) and ((speed near5 (chang\$3 or set or setting)) or baud) and ((speed near5 (chang\$3 or reprogram\$)) and ((speed near5 (chang\$3 or reprogram\$) or reprogram\$) or re-program\$, or re-program\$, or re-program\$	setting)) or baud) same (host or external)  (((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or re-writ\$3 or reprogram\$ or re-program\$ or reprogram\$ or flash\$ or woint\$ or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or baud) same ((speed near5 (chang\$3 or set or setting)) or setting)) or baud) same (host or external))  ((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))  ((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$ or re-program\$ or re-program\$ or re-program\$ or re-program\$ or baud) same (instruct\$3 or set or setting)) or baud) same (control or transfer) near2 program)) and (((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3)) and (((speed near5 (chang\$3 or set or setting)) or baud) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$

30	12	((send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and ((((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and ((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3))) and (((speed near5 (chang\$3 or set or setting)) or baud) same (host or external))) and (@ad<19960920 or @rlad<19960920)) not ((((processor or microprocessor or cpu) same ((speed near5 (chang\$3 or set or setting)) or baud)) and ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) )) and (711/103.ccls. or 711/147.ccls. or 710/106.ccls. or 709/248.ccls. or 709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls.) or 709/213.ccls. or 713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (717/169.ccls. or 717/178.ccls.) or (711/175.ccls. or 717/178.ccls.) or (701/33.ccls. or 701/35.ccls.or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:01
31	1698	(@ad<19960920 or @rlad<19960920))) ((rewrit\$3 or re-writ\$3) near5 (control\$3 or transfer\$3 or communication)) same (program or software)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 14:20
32	79	send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3) same (host or external)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/11/15 14:23
33	4	<pre>(((rewrit\$3 or re-writ\$3) near5 (control\$3 or transfer\$3 or communication)) same (program or software) ) and ( send\$3 same((speed near5 (chang\$3 or set or setting)) or baud) same (instruct\$3 or request\$3) same (host or external))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/15 14:23